

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	10/709014 10/709015	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 17:11
L2	3	600/485-507.ccls. and ((thin adj film) with pressure) and (((light optical) adj2 (detector sensor transducer)) (photosensor photodiode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:27
L3	10	600/485-507.ccls. and yang.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:27
L4	26	600/485-507.ccls. and ((thin adj film) with pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:00
L5	15	("4320767" "5140990" "6375614" "6398727" "6364842" "6605038" "6546269" "6612984" "6609023" "6272936" "5368039" "6050940" "6413223" "5551438" "6336900").PN.	USPAT	OR	ON	2005/03/20 17:27
L6	2	("5833618"   "5964701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 17:30
L7	71	600/485-507.ccls. and ((diaphragm film) same (sensor transducer)) and ((LED \$emitter) same (photodiode \$sensor \$detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:33
L8	1	("6413223").URPN.	USPAT	OR	OFF	2005/03/20 17:32
L9	2	600/485-507.ccls. and khair.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:40
L10	10	600/485-507.ccls. and ((hold adj down) with pressure) and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:43
L11	75	600/485-507.ccls. and ((sensor transducer film) with ((hold adj down) applied) with pressure) and ((LED \$emitter) same (\$detector photodiode \$sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:44

L12	19	("3926179"   "4201222"   "4799491"   "4802488"   "4830014"   "5018529"   "5140990"   "5158091"   "5165416"   "5195522"   "5261412"   "5273046"   "5363855"   "5485848"   "5490506"   "5724025"   "5832924"   "5908027"   "5984874").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 17:50
L13	6	600/485-507.ccls. and ((strain adj (gauge gage)) with (thin adj film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:55
L14	21	"600"/\$.ccls. and ((strain adj (gauge gage)) with (thin adj film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:55
L15	46	600/485-507.ccls. and ((thin adj film) with (sensor transducer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:04
L16	6	600/485-507.ccls. and ((thin adj film) with (straingauge straingage (strain adj gage) (strain adj gage) (wheatstone adj bridge)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:04
L17	9	600/485-507.ccls. and ((thin adj film) same (strain adj (gauge gage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:50
L18	4	600/485-507.ccls. and ((thin adj film) with semiconductor with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:50
L19	98	600/485-507.ccls. and (((photodetector photosensor) (photo light) with (detector sensor)) same photodiode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:04
L20	48	600/485-507.ccls. and (((photodetector photosensor) (photo light) with (detector sensor)) same photodiode) and (blood adj pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:15

L22	13	600/485-507.ccls. and (band with sensor with (pressure with (applied hold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:20
L24	2	"600"/\$.ccls. and ((hold) with pressure with sensor) and (infrared and visible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:22
L25	64	"600"/\$.ccls. and ((applied) with pressure with sensor) and (infrared and visible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:30
L26	62	"600"/\$.ccls. and (transceiver same ("RS-232" (RS adj "232")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:32
L27	27	"600"/\$.ccls. and (transceiver same wireless same ("RS-232" (RS adj "232")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:40
L28	1	"600"/\$.ccls. and ((wireless with transceiver) same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:39
L29	5	09/551719	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:25
L30	1	"600"/\$.ccls. and (((RF radio) with transceiver) same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:42
L31	4	"600"/\$.ccls. and (transceiver same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:41
L32	34	"600"/\$.ccls. and (wireless with (RS adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:44

L33	33	"600"/\$.ccls. and (((RF radio) with transceiver) same (rs adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:48
L34	12	"600"/\$.ccls. and (wireless with (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:45
L35	3	("4075632"   "5012411"   "5400794").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 19:48
L37	49	"600"/\$.ccls. and (((RF radio)) with (rs adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:53
L38	35	"600"/\$.ccls. and (((RF radio)) with (serial adj3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:56
L39	39	"600"/\$.ccls. and (transceiver same (serial with interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:58
L40	58	"600"/\$.ccls. and (transmitter same (serial with interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:00
L41	11	"607"/\$.ccls. and (transceiver with ((RS adj "232") (serial adj2 interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:04
L42	14	"607"/\$.ccls. and (transceiver same (serial adj2 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:04
L43	12	"600"/\$.ccls. and (transceiver same (serial adj2 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:05

L44	38	"600"/\$.ccls. and (transceiver same (serial adj2 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:05
L45	122	(600/485-507.ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:26
L46	50	(600/485-507.ccls.) and (wrist with finger) and (emitter photoemitter led)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:26
L47	6	(600/504-507.ccls. and 600/485.ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:36
L48	15	(600/501-503.ccls. and 600/485.ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:37
L49	27	(600/485.ccls.) and (pulse adj wave) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:46
L50	9	(600/485.ccls.) and (hold with down with pressure) and (light photodetector photodiode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:56
L52	53	600/485-507.ccls. and (thin adj film) and (optical light photodetector photodiode photosensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:59
L53	0	600/485-507.ccls. and ((thin adj film) same (film with region) same pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:00
L54	2	600/485-507.ccls. and ((thin adj film) same plastic same pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:04

L55	5	600/485-507.ccls. and ((infrared same visible) with emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:05
L56	11	600/485-507.ccls. and ((infrared same visible) with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:07
L57	39	600/485-507.ccls. and ((infrared same visible)) and (blood adj pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:07
L58	30	600/485-507.ccls. and (blood adj pressure) and (pulse adj rate) and (oxygen saturation"SaO.sub.2" oximeter oximetry) and visible and infrared	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:32
L67	57	"600"/\$.ccls. and (((heart pulse) adj rate) same (oximeter) same (ECG EKG))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/20 22:13
L69	40	"600"/\$.ccls. and ((radio rf) same bluetooth)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:39
L70	2	600/485-507.ccls. and ((thin adj film) same (plastic) same pressure)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:41
L71	8	600/485-507.ccls. and ((thin adj film) same (plastic) )	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:42
L72	0	(thin adj filme).ti. and (plastic with film)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:42
L73	1496	(thin adj film).ti. and (plastic with film)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:42
L74	174	(thin adj film).ti. and pressure.ti. and (sensor.ti. transducer.in.)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:44
L75	2	(thin adj film).ti. and pressure.ti. and (sensor.ti. transducer.in.) and (plastic with film)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:43
L77	3	(thin adj film).ti. and pressure.ti. and (sensor.ti. transducer.in.) and plastic	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:50

L78	3	(thin adj film).ti. and ((pressure.ti. and (sensor.ti. transducer.in. ))(strain.in. and (gauge.in. gage.in. ))) and plastic	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:50
L79	2207	(thin adj film).ti. and plastic	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:51
L80	16	(thin adj film).ti. and ((pressure with sensor) (strain adj (gauge gage))) and plastic	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 22:57
L82	35	((thin adj film) with ((pressure with (transducer sensor)) (strain adj (gauge gage)))) and (film with plastic)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:29
L83	130	"600"/\$.ccls. and (((radio adj frequency) rf) same modem)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:03
L84	259	"600"/\$.ccls. and (((radio adj frequency) rf) same modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:01
L85	99	"600"/\$.ccls. and ((RS adj "232") same (modem CDMA GSM GPRS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:10
L86	1	"600"/\$.ccls. and ((RS adj "232") same (CDMA GSM GPRS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:10
L87	0	"600"/\$.ccls. and ((wireline with interface) same (CDMA GSM GPRS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:11
L88	11	"600"/\$.ccls. and ((remote) same (CDMA GSM GPRS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:13
L90	40	"600"/\$.ccls. and ((radio rf) same (CDMA GSM GPRS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:15
L91	36	((thin adj film) with ((pressure with (transducer sensor)) (strain adj (gauge gage)))) and (film with plastic)	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 23:46

L93	15	("4320767" or "5140990" or "5368039" or "5551438" or "6050940" or "6375614" or "6398727" or "6413223" or "6364842" or "6605038" or "6546269" or "6612984" or "6609023" or "6272936" or "6336900").pn.	USPAT	OR	OFF	2005/03/20 23:47
-----	----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----	-----	------------------